SUPPLEMENTAL AMENDMENT Serial No. 09/808,558 Atty. Docket No. GP068-05.CN3

Remarks

The amendments to the specification herein are necessitated by the Examiner's Notice to Comply mailed on January 16, 2004, indicating that there are sequences disclosed in Applicants' specification that are not identified by sequence identifiers. Additionally, Applicants are amending the specification herein to replace "HPATM" with "HPA," as "HPA" was incorrectly identified as a trade name. No new matter is being introduced by these amendments to the specification.

Applicants submit that the subject application is in condition for allowance and early Notice to that effect is earnestly solicited.

No fee is believed due in connection with this Supplemental Amendment. If Applicants are mistaken, please charge any amount due to Deposit Account No. 07-0835 in the name of Gen-Probe Incorporated.

Certificate of Transmission

I hereby certify that this correspondence (and any referred to as attached or enclosed) is being sent by facsimile to 703-872-9306 on the date indicated below to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: March 19, 2004

By:

Charles B. Cappellari

tfully submitted.

Registration No. 40,937

Attorney for Applicants

GEN-PROBE INCORPORATED Patent Department 10210 Genetic Center Drive San Diego, California 92121

PH: 858-410-8927/FAX: 858-410-8928

Page 17 of 17